



Specimen Label for: NU FILM IR

NU-FILM[®]-IR

SOFT-FILM[®]

NON-IONIC STICKER - SPREADER

For use only with herbicides designed for application on Rights-Of-Way, Non-Crop Areas, Ditch Banks, Industrial Sites and in Forestry Programs.

PRINCIPAL FUNCTIONING AGENT:

Poly-1-p-Menthene 96%
INERT INGREDIENTS: 4%

*The amount of active ingredient in the formulation does not determine the activity. Activity is governed by the type of film which is formed and this is determined by refinement. The active ingredient in this product is Pinolene[®], a terpenic polymer.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

**Manufactured By
MILLER CHEMICAL & FERTILIZER CORPORATION
P.O. Box 333
Hanover, Pennsylvania 17331**

Net Contents: 2.5 Gallon Liquid

GENERAL INFORMATION

NU-FILM-IR is a superior STICKING agent designed for use with industrial herbicides usually eliminating the need for conventional surfactants. It is compatible in the spray tank with all commercially used products. **NU-FILM-IR** forms a sticky, elastic film which tenaciously holds the herbicide on the plant foliage and greatly reduces rainfall erosion of the spray residue, thus insuring that pesticide sprays are not lost shortly after application. **NU-FILM-IR** reduces the effect of ultra-violet (UV) degradation of herbicides. The film allows the herbicide to feed into the foliage slowly, reducing quick foliage burning which inhibits translocating herbicide activity. This is a major advantage of the **NU-FILM-IR** polymer over surfactant type herbicide activators, which increase burn down, but reduce long term weed and brush control. **NU-FILM-IR** will not foam, freeze or clog nozzles. It has been proven effective when applied by any aircraft or ground sprayer. It improves the initial pesticide deposit and allows excellent re-distribution of aircraft and concentrate sprayer deposits, to give complete coverage. **NU-FILM-IR** may be applied by ground controlled droplet or aerial spray equipment.

Apply sprays containing **NU-FILM-IR** during daylight. Sunlight, direct or indirect is needed to set the film. **NU-FILM-IR** can be applied when light dew is present or prior to rain events or to post-event wet vegetation. However, avoid applying to vegetation when excessive moisture is present (i.e. dripping).

DIRECTIONS

BRUSH CONTROL – To increase the efficiency and provide wash-off protection of Brush Control Herbicides, add **NU-FILM-IR** to the spray mix as follows:

Ground Application To Foliage

High Volume: 8 to 16 ounces **NU-FILM-IR** per 100 gallons of water (240 cc to 480 cc per 400 liters).

Low Volume Concentrate-Back Pack: 1 to 2 ounces **NU-FILM-IR** per 5 gallons of water (30 cc to 60 cc per 20 liters).

Aerial and RadiArch® Application: More than 25 gallons, but less than 100 gallons of spray mix per acre (960 liters per hectare): Use **NU-FILM-IR** at 8 to 16 ounces per 100 gallons of water. If using Glyphosate products: Use **NU-FILM-IR** at 12 to 16 ounces per 100 gallons of water. When application rates are less than 25 gallons per acre use **NU-FILM-IR** at 4 to 6 ounces per acre. (300 to 450 cc per hectare).

DORMANT STEM APPLICATIONS – To improve the movement of herbicides into the tissue of dormant stems, apply 16 ounces **NU-FILM-IR** per 100 gallons of water. Such applications should be made according to the herbicide label used and should be applied primarily to one and two year old new growth, or those stems less than two inches in diameter.

RIGHTS-OF-WAY AND INDUSTRIAL VEGETATION CONTROL SITES – To improve the efficiency of and provide wash-off protection for selective weed control along roadsides, pipelines, tank dikes, ditch banks, along fences and on other non-crop areas: Use **NU-FILM-IR** with approved herbicides at the rate of 8 to 16 ounces per 100 gallons of water.

To improve the efficiency of and provide wash-off protection for non-selective weed control programs, use **NU-FILM-IR** at 8 to 16 ounces per 100 gallons of water with post-emergence herbicides such as Vanquish® and RoundUp®. **NU-FILM-IR** can also be used when post-emergence herbicides are tank mixed with pre-emergence herbicides.

FORESTRY USES – To increase the efficiency of and provide wash-off protection for herbicides used in forestry site preparation, use **NU-FILM-IR** with herbicides such as, but not limited to Accord®, Arsenal®, Garlon®, Velpar®, at the rate of 4 to 6 ounces per acre (300 to 450 cc per hectare), when application rates are less than 25 gallons per acre. When higher volumes are applied, use at 8 to 16 ounces per 100 gallons of water.

Plant Growth Regulator Treatments for grass growth control and seed head suppression – To improve the efficiency of plant growth regulator products such as Arsenal®, Embark® and Telar®, add **NU-FILM-IR** to the spray mix at the rate of 6 to 8 ounces per acre (450 cc to 600 cc per hectare).

Brush Control with Krenite® -- To increase the efficiency of Krenite® brush control applications, apply **NU-FILM-IR** at 16 ounces per 100 gallons (240 cc to 350 cc per 400 liters) in high volume ground applications. For aircraft applications of Krenite® use **NU-FILM-IR** at the rate of 4 to 6 ounces per acre (300 to 450 cc per hectare).

Bare Ground Applications – To stabilize, improve performance, provide wash-off protection and retard photo-degradation of Oust® and other herbicides used in control of vegetation on industrial sites and along railroad and highway rights-of-way. Apply 16 to 24 ounces of **NU-FILM-IR** per acre (1.2 liter per hectare).

Add **NU-FILM-IR** to the spray tank as it is filling, with the agitator running. To insure good emulsification of this product, it is advisable to pre-mix **NU-FILM-IR** with water before adding to the spray tank.

NOTE: In some Glyphosate applications, it may be necessary to add some additional non-ionic surfactant, based on your past experience and especially in low volume applications.

Rinse tank, lines and nozzles immediately after spraying, with water. After rinsing, there may still be a small amount of sticky residue in the tank. This will help to prevent rusting and corrosion. It will not clog nozzles when sprayer is next used. If spray happens to land on undesired surfaces, such as windows, cars, application equipment or others, it can be removed with soap and water, before the spray deposit is dry or with premium grade or white kerosene after the film has dried or set. To remove dried deposits from painted car surfaces, use standard tar remover products designed for use on painted car finishes.

ENVIRONMENTAL HAZARDS: This product is not for aquatic use. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage and disposal.

Use this product in accordance with good agronomic practices, which include utilizing proven spray equipment set for proper coverage. Do not make applications when temperatures are too hot. Applications should be made at temperature levels and when other environmental conditions in your area are such that your experience indicates the application will be compatible and will accomplish the desired result.

The use of this material being beyond our control and involving elements of risk to human beings, animals, and vegetation, we do not make any warranty, express or implied, as to the effects of such use, when this product is not used in accordance with the directions as stated on this label.

METRIC CONVERSION

1 Pt. Per Acre = 1.2 Liters Per Hectare

100 Gallons (U.S.) = 378.5 Liters

1 Hectare = 2.5 Acres (U.S.)

1 cc = 1 Milliliter (ml)

Accord® - Reg. trademark of Dow-Agro Sciences

Arsenal® - Reg. trademark of BASF Corp.

Embark® - Reg. trademark of P.B.I. Gordon

Garlon® - Reg. trademark of Dow-Agro Sciences

Krenite® - Reg. trademark of E.I. DuPont de Nemours & Co.

Oust® - Reg. trademark of E.I. DuPont de Nemours & Co.

RadiArc® - Reg. trademark of Waldaum Specialties, Inc.

RoundUp® - Reg. trademark of Monsanto

Telar® - Reg. trademark of E.I. DuPont de Nemours & Co.

Vanquish® - Reg. trademark of Syngenta Crop Protection

Velpar® - Reg. trademark of E.I. DuPont de Nemours & Co.