



# SAFETY DATA SHEET

## DREXEL SIMAZINE 4L HERBICIDE

### Section 1: Material Identification

**Product Name:** Drexel Simazine 4L Herbicide  
**EPA Reg No.:** 19713-60  
**CAS NO:** 122-34-9  
**Formula:** C<sub>7</sub>H<sub>12</sub>ClN<sub>5</sub>  
**Company:** Drexel Chemical Company  
1700 Channel Avenue  
Memphis, TN 38106

**Identifiers:**  
**EINECS:** 204-535-2  
**RTECS:** XY5250000  
**DOT label:** non-regulated


#### Emergency Telephone Number:

CHEMTREC	Drexel Chemical Co.
Tel: 1-800-424-9300	901-774-4370

This product is an EPA FIFRA registered pesticide. Some of the classifications on this SDS are not the same as the FIFRA label. Certain sections of this SDS are superseded by federal law governed by EPA for a registered pesticide. Please see **Section 15. REGULATORY INFORMATION** for explanation.

### Section 2: Hazard Identification (As defined by the OSHA Hazard Communication Standard, 29)

<b>GHS Classification</b>	Acute oral	Category 4
	Acute Inhalation	Category 4
	Skin Irritation	Category 2
	Eye Irritation	Category
	Aquatic acute toxicity	Category 3
<b>GHS Label Elements</b>		
Signal word	Warning	



**Hazard statement**

Harmful if swallowed  
Harmful if inhaled  
Causes skin irritation  
Causes eye irritation  
Moderately toxic to aquatic life

**Precautionary statement  
Prevention**

Do not eat, drink or smoke when using this product.  
Avoid breathing vapors or mist. Use only outdoors or in a well-ventilated area.  
Wash exposed skin thoroughly after handling. Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Neoprene, Nitrile/butadiene rubber ("nitrile" or "NBR") or Polyvinyl chloride ("PVC" or "vinyl").  
Prevent from entering into ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.

**Response**

**If swallowed:** Call a poison control center or doctor immediately for treatment advice. Rinse mouth with water then have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. Have product label with you when calling a poison control center or doctor.  
**If inhaled:** Remove person to fresh air and keep comfortable for breathing. Call Poison Control Center or Doctor if you feel unwell.  
**If on skin:** Wash with plenty of water while removing contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Destroy contaminated leather items such as shoes, belts, and watchbands.

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes for at least 10 minutes. Obtain medical attention without delay, preferably from an ophthalmologist

**Storage**

Store in a cool, dry, well ventilated, and secure area designated specifically for pesticides and away from heat sources. Keep in original containers and keep containers closed when not in use. Do not store in excessive heat. Do not store near children, food, foodstuffs, drugs or potable water supplies.

**Disposal**

If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities.

### Section 3: Composition Information

<u>Components</u>	<u>% By Wt.</u>	<u>OSHA PEL:</u>	<u>ACGIH TLV:</u>
Active Ingredient:			
Simazine	42.1%	N/Av	N/Av
Inert Ingredients:	57.9%	N/A	N/A

### Section 4: First-Aid Measures

**Eye Contact:** Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes for at least 15 minutes. Obtain medical attention without delay, preferably from an ophthalmologist

**If Swallowed:** Call a poison control center or doctor immediately for treatment advice. Rinse mouth with water then have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. Have product label with you when calling a poison control center or doctor.

**Skin Contact:** Immediately flush skin with water while removing contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Destroy contaminated leather items such as shoes, belts, and watchbands.

**If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

**Note to Physician:** This product has low oral, dermal, and inhalation toxicity. If swallowed, gastric lavage using an endotracheal tube may be preferred to vomiting. May cause temporary eye irritation.

### Section 5: Fire Fighting Measures

**Fire Hazards:** Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure. Thermal decomposition during a fire can produce fumes and irritating gases.

**Flammability classification (OSHA 29 CFR 1910.1200):** Non-Combustible

**Flash point:** >200°F

**Lower flammable limit (% by volume):** N/Av

**Upper flammable limit (% by volume):** N/Av

**Fire Fighting Procedures:** Keep people away. Isolate fire and deny unnecessary entry. Evacuate the area and fight the fire from upwind at a safe distance to avoid hazardous vapors or decomposition products. Dike and collect fire-extinguishing water to prevent environmental damage and excessive waste runoff.

**Firefighting media:** Use foam, dry chemical, carbon dioxide, or water fog when fighting fires involving this product. Do not use water jet, as this may spread burning material. Minimize the use of water to avoid environmental contamination. Contain all runoff.

**Special Protective Equipment for Firefighters:**

Wear positive-pressure self-contained breathing apparatus (SCBA) and protective firefighting clothing (includes firefighting helmet, coat, trousers, boots, and gloves). Use full face shield and operate in positive pressure mode. Avoid



work area. Remove contaminated clothing immediately, wash skin area with soap and water, and launder clothing before reuse or dispose of properly. Items which cannot be decontaminated, such as shoes, belts and watchbands, should be removed and disposed of properly.

**Hand protection:** Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Neoprene, Nitrile/butadiene rubber ("nitrile" or "NBR") or Polyvinyl chloride ("PVC" or "vinyl").

**Respiratory Protection:** Respiratory protection should be worn when handling in enclosed areas, when large quantities of mists are generated or prolonged exposure is possible. Use a respirator with either an organic vapor-removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C) or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G).

**Ingestion:** Avoid ingestion of even very small amounts; do not consume or store food or tobacco in the work area; wash hands and face before smoking or eating.

#### **Engineering Controls:**

**Ventilation:** Handle this product in a well ventilated area. Ventilate all transport vehicles prior to unloading. Facilities storing or utilizing this material should be equipped with an eyewash facility and safety shower.

## **Section 9: Physical and Chemical Properties**

<b>Physical State:</b>	Liquid
<b>Color:</b>	White to off-white
<b>Odor:</b>	Mild
<b>Flash Point:</b>	N/A
<b>Vapor Pressure (mmHg):</b>	N/Av
<b>Boiling Point:</b>	N/Av
<b>Vapor Density (air = 1):</b>	N/Av
<b>Bulk Density (H<sub>2</sub>O = 1):</b>	9.5 lbs. /gal.
<b>Freezing Point:</b>	N/Av
<b>Solubility in water (wt. %) weight):</b>	Miscible
<b>pH:</b>	6 (5% aqueous solution at 23°C)
<b>Viscosity:</b>	5 -7.5

## **Section 10: Stability and Reactivity**

<b>Stability/Instability:</b>	Stable at typical use temperatures and in closed containers.
<b>Conditions to Avoid:</b>	Avoid heat of open flame. Avoid high temperatures above 130°F (54.4°C).
<b>Incompatible Materials:</b>	Avoid contact with: Strong acids. Strong bases. Strong oxidizers.
<b>Hazardous Polymerization:</b>	Will not occur
<b>Thermal Decomposition:</b>	Decomposition products can include and are not limited to: Carbon oxides, nitrogen oxides, ammonia and halogenated compounds.

## **Section 11: Toxicological Information**

## Acute Toxicity

### Ingestion:

- Oral LD50, (rat): >2,000 mg/kg

### Dermal:

- Dermal LD50, (rat): >2,000 mg/kg

### Inhalation

- Inhalation LC50, Aerosol, (rat): >2.58 mg/l

### Eye Irritation: (rabbit):

- Moderately irritating

### Skin Irritation (rabbit):

- Moderately irritating

### Sensitization Skin:

- Non-sensitizer (guinea pigs).

### Chronic Toxicity:

- Simazine: Decreased survival at high doses (rat).

### Carcinogenicity:

- Not likely to carcinogenic in humans.

**Teratogenicity, mutagenicity, and other reproductive effects:** None known

## Section 12: Ecological Information

### The information presented here is for the active ingredient, simazine:

This product is practically nontoxic to birds and aquatic invertebrates. Slightly toxic to fish.

### Persistence and Degradability:

- Low bioaccumulation potential. Not persistent in soil. Stable in water. Moderately mobile in soil. Sinks in water (after 24 hr).

### Aquatic Toxicity:

- Trout LC50/EC50: >10 ppm
- Bluegill LC50/EC50: 16 ppm
- Daphnia Magna Life Cycle MATC: 0.07 mg/L

### Arthropod Toxicity:

- Bees LD50EC50: >99 µg/bee

### Bird Toxicity:

- Bobwhite Quail (8-day dietary) LC50/EC50: > 10,000 ppm
- Mallard Duck (8-day dietary) LC50/EC50: > 10,000 ppm

## Section 13: Disposal Considerations

If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to

the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

## Section 14: Transport Information

**DOT Classification:** Not regulated

Consult appropriate ICAO/IATA and IMDG regulations for shipment requirements in the Air and Maritime shipping modes.

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material

## Section 15: Regulatory Information

**OSHA Hazard Communication Standard:**

- This product is not a “Hazardous Chemical” as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
- **EPA FIFRA INFORMATION**  
This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemical. The hazard information required on the pesticide label is listed out below. The pesticide label also includes other important information, including directions for use.
- **EPA/CERCLA Reportable Quantity:** None Known

**SARA/TITLE III:**

- **Sec 302: Extremely Hazardous Substance Notification:** Not applicable.
- **Sec. 311/312. Hazard Categories:** Acute health hazard
- **Section 313 Toxic Chemical(s):** Simazine (43.4%) (CAS 122-34-9)
- **RCA Waste Code:** Not applicable

**California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986):**

- This product is not listed.

**Toxic Substances Control Act (TSCA):**

- All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.30

## Section 16: Other Information

*Drexel Chemical Company recommends that each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data*

***contained in this SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown below. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific SDSs, we are not and cannot be responsible for SDSs obtained from any source other than ourselves. If you have obtained an SDS from another source or if you are not sure that the SDS you have is current, please contact us for the most current version.***

**Date Issued: May 3, 2015**